

SENSIT[®] TKX
COMBUSTIBLE GAS LEAK DETECTOR



SENSIT[®] TKX
makes leak detection quick and easy!

MADE IN USA



Innovative Detection Solutions

www.gasleaksensors.com

SENSIT[®] TKX

COMBUSTIBLE GAS LEAK DETECTOR

SENSIT[®] TKX is the perfect choice when locating hard to find natural gas or propane gas leaks. Low maintenance and low initial cost make this product the ideal choice for the budget conscious.

FINDS LEAKS QUICKLY

- High sensitivity allows immediate leak detection
- Tick rate control to pinpoint leaks fast
- Detects many gases and chemicals

LOW MAINTENANCE

- Solid state sensor
- Alkaline battery powered
- Lowest cost of ownership

TKX Standard Features

- Long battery life
- Long sensor life
- Adjustable tick rate system
- Audible and Visual Indicators
- SENSIT[®] quality and durability



INDUSTRY USERS

Utility Operators
Emergency Vehicles
Fire Departments
Appliance Repair
Marine Operations
Plant Maintenance
Heating and A/C Contractors
Plumbing Contractors
Housing Maintenance

APPLICATIONS

Gas Pipe Leak Detection
Propane / Butane Bottle Checks
Chemical Detection
Arson / Accelerant Detection

PARTIAL LIST OF GASES SENSED*

Acetone	Hydrogen
Alcohol	Industrial Solvents
Ammonia	Jet Fuel
Butane	Lacquer Thinner
Ethylene Oxide	Methane
Gasoline	Natural Gas
Halon	Propane

*Contact Sensit Technologies for more info.



SENSOR
 ON / OFF SWITCH
 SENSING INDICATOR
 TICK ADJUST DIAL
 FLEXIBLE GOOSENECK
 BATTERY COMPARTMENT

- TO OPERATE:**
1. Power On
 2. Wait 30 Seconds
 3. Adjust Tick
 4. Begin to Use

Patented



STANDARD KIT

Carrying Pouch
 3 "C" Batteries
 Instruction Manual

SENSOR SPECIFICATIONS

TYPE	DETECTION LIMIT	RANGE
PPM	20ppm	20-50,000

PRODUCT SPECIFICATIONS

Size:	3.5" x 10" x 1.6" (8.9 x 25.4 x 4 cm)
Weight:	1.3 pounds (0.59 kg)
Operational Temp:	0 to 120° F (-20 to 50° C)
Battery Life:	Alkaline: Approximately 30 hrs. Continuous



SENSIT® TKX instruments are approved UL913,
 For Class 1, Division 1, Groups C and D, T3
 hazardous locations when used with Duracell
 MN1400BK batteries or equivalent alkaline batteries.

SENSIT® TKX Instruments

SENSIT TKX
Part # 902-00000-02

Included with instrument:
Instrument Pouch, 3 "C" Batteries, and Instruction Manual

SENSIT® TKX Standard Kit Replacement Parts

Sensor EX (LEL) (2611 Silver 4 Prong)
Part # 375-2611-01

Sensor Cap
Part # 365-00045

Instrument Pouch
Part # 360-00002

Instruction Manual
Part # 750-00043



851 Transport Drive
Valparaiso, IN 46383-8432

Phone: 888 4SENSIT
888 473 6748
219 465 2700

Fax: 219 465 2701
www.gasleaksensors.com

MADE IN USA

SENSIT Technologies
is in compliance with ISO 9001:2008



Distributed by:

